EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	8	(US-20060031746-\$ or US-20040205528-\$ or US-20030004993-\$ or US-20020158902-\$ or US-20080222517-\$ or US-20080109472-\$ or US-20050262434-\$ or US-20030177175-\$ or US-20080229217-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6990629-\$ or US-6507856-\$ or US-7366973-\$ or US-6635089-\$ or US-7346842-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 20:21
L6	18	5 & xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 20:21
L7	0	(XML with (star same end) same delimit\$3) & (XML near browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 20:52
L8	506	(XML near browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 20:53
L9	682	(xml with (stylesheet template model)) & (dynamic \$3 same (portion segment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 20:54
L10	2	8 & 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 20:54

L11	8	8 & (dynamic\$3 same (portion segment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 20:56
L12	17205	(server same XML same data) & (sav\$3 stor\$3 cach\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 21:01
L13	8441	(server same XML same data) same (sav\$3 stor\$3 cach\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 21:01
L14	145	9 & 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 21:01
L15	34	14 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 21:02
L16	9	15 & xml same ((delimit\$3 start end) same tag\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 21:02
L17	682	XML & (dynamic\$3 same (portion segment)) & (token (pre-token) (pre adj token))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 21:23
L18	232	17 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 21:24
L19	2	18 & (generating same communicating same "web pages")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 21:25

L20	9	5 & static	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 21:26
L21	2	"20060031746" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L22	394	web with page with builder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L23	19	L22 & (xml near3 templates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L24	0	go near2 dady	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L25	285	web near2 builder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L26	94	L25 & templates	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L27	52	L26 & xml & html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L28	29	L27 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L29	2	"20030004993" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L30	0	"generating web pages and communicating between web pages"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L31	0	"singh.XA"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L32	224	(rachna same singh)".xa" & herndon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L33	0	((web near2 page) near3 build \$3) same from same pages	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L34	1509	((web near2 page) near3 build \$3) same pages	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L35	0	L34 & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L36	3	((web near2 page) same build \$3) & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L37	139	web & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L38	35	L37 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L39	5683	715/513	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L40	394	L39 & (web same editor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L41	37	L40 & ((xml with html) same templates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L42	14	L41 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L43	2	"7089560".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L44	2	"6507856".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L45	7	(US-20060031746-\$ or US-20040205528-\$ or US-20020158902-\$ or US-20030004993-\$).did. or (US-6697825-\$ or US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6732331-\$ or US-6507856-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L46	7	L45 & templates	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37

L47	2	L45 & (modif\$4 with templates)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L48	2	L47 & html & xml	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L49	7	(US-20030004993-\$ or US-20060031746-\$ or US-20040205528-\$ or US-20020158902-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6732331-\$ or US-6990629-\$ or US-6507856-\$ or US-6697825-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L50	1	L49 & wizard	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L51	5	L49 & pages	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L52	2	"6846880".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L53	2	"6816880".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L54	0	L53 & concsole	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L55	1	L53 & console	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L56	2	L49 & applet	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L57	6	L49 & interface	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L58	1	L57 & (modif\$3 near2 template)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L59	2	L57 & (modif\$3 same template)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L60	2	L59 & (modif\$4 same template\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L61	2	L60 & (web same page\$1 same generat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37

L62	6	(US-20030004993-\$ or US-20060031746-\$ or US-20020158902-\$ or US-20040205528-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6507856-\$ or US-6697825-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L63	1	L62 & (engine console wizard) same ((API "Application program Interface"))	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L64	4	L62 & (engine console wizard)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L65	5	L62 & (message)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L66	6	L62 & (message dialog interview reponse)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L67	1	L62 & (modif\$4 with template \$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L68	2	"20030004993".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L69	1	L68 & (destination near2 "web page")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L70	2	"20060031746" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L71	394	web with page with builder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L72	19	L71 & (xml near3 templates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L73	0	go near2 dady	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L74	285	web near2 builder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L75	94	L74 & templates	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L76	52	L75 & xml & html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L77	29	L76 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L78	2	"20030004993" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L79	0	"generating web pages and communicating between web pages"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L80	0	"singh.XA"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L81	224	(rachna same singh)".xa" & herndon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L82	0	((web near2 page) near3 build \$3) same from same pages	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L83	1509	((web near2 page) near3 build \$3) same pages	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L84	0	L83 & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L85	3	((web near2 page) same build \$3) & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L86	139	web & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L87	35	L86 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L88	5683	715/513	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L89	394	L88 & (web same editor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L90	37	L89 & ((xml with html) same templates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L91	14	L90 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L92	2	"7089560".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L93	2	"6507856".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L94	7	(US-20060031746-\$ or US-20040205528-\$ or US-20020158902-\$ or US-20030004993-\$).did. or (US-6697825-\$ or US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6990629-\$ or US-6732331-\$ or US-6507856-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L95	7	L94 & templates	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L96	2	L94 & (modif\$4 with templates)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L97	2	L96 & html & xml	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L98	7	(US-20030004993-\$ or US-20060031746-\$ or US-20040205528-\$ or US-20020158902-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6732331-\$ or US-6990629-\$ or US-6507856-\$ or US-6697825-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37

L99	1	L98 & wizard	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L100	5	L98 & pages	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L101	2	"6846880".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L102	2	"6816880".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L103	0	L102 & concsole	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L104	1	L102 & console	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L105	2	L98 & applet	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L106	6	L98 & interface	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L107	1	L106 & (modif\$3 near2 template)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L108	2	L106 & (modif\$3 same template)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L109	2	L108 & (modif\$4 same template\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L110	2	L109 & (web same page\$1 same generat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L111	6	(US-20030004993-\$ or US-20060031746-\$ or US-20020158902-\$ or US-20040205528-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6507856-\$ or US-6697825-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L112	1	L111 & (engine console wizard) same ((API "Application program Interface"))	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L113	4	L111 & (engine console wizard)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37

L114	5	L111 & (message)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L115	6	L111 & (message dialog interview reponse)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L116	1	L111 & (modif\$4 with template\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L117	2	"20030004993".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L118	1	L117 & (destination near2 "web page")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L119	3	"7117436".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L120	294	715/702.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L121	1293	715/235-237.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L122	0	(parsing with (xml near element)) & ((souce (host server)) same (destination target client user)) & (web near (developer designer master)) & (authoring near web near template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L123	115	(parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L124	0	L123 & (authoring near web near template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L125	0	L123 & (authoring near template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L126	0	L123 & (web near (developer designer master))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L127	81	L123 & ((developer designer master))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L128	6	L121 & L127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L129	2	"20060031746" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L130	394	web with page with builder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L131	19	L130 & (xml near3 templates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L132	0	go near2 dady	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L133	285	web near2 builder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L134	94	L133 & templates	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L135	52	L134 & xml & html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L136	29	L135 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L137	2	"20030004993" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L138	0		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L139	0	"singh.XA"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L140	224	(rachna same singh)".xa" & herndon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L141	0	((web near2 page) near3 build \$3) same from same pages	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L142	1509	((web near2 page) near3 build \$3) same pages	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L143	0	L142 & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L144	3	((web near2 page) same build \$3) & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L145	139	web & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L146	35	L145 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L147	5683	715/513	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L148	394	L147 & (web same editor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L149	37	L148 & ((xml with html) same templates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L150	14	L149 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L151	2	"7089560".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L152	2	"6507856".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L153	7	(US-20060031746-\$ or US-20040205528-\$ or US-20020158902-\$ or US-20030004993-\$).did. or (US-6697825-\$ or US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-67932331-\$ or US-6507856-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L154	7	L153 & templates	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L155	2	L153 & (modif\$4 with templates)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L156	2	L155 & html & xml	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L157	7	(US-20030004993-\$ or US-20060031746-\$ or US-20040205528-\$ or US-20020158902-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6732331-\$ or US-6990629-\$ or US-6507856-\$ or US-6697825-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L158	1	L157 & wizard	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L159	5	L157 & pages	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L160	2	"6846880".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L161	2	"6816880".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37

L162	0	L161 & concsole	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L163	1	L161 & console	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L164	2	L157 & applet	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L165	6	L157 & interface	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L166	1	L165 & (modif\$3 near2 template)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L167	2	L165 & (modif\$3 same template)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L168	2	L167 & (modif\$4 same template\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L169	2	L168 & (web same page\$1 same generat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L170	6	(US-20030004993-\$ or US-20060031746-\$ or US-20020158902-\$ or US-20040205528-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6507856-\$ or US-6697825-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L171	1	L170 & (engine console wizard) same ((API "Application program Interface"))	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L172	4	L170 & (engine console wizard)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L173	5	L170 & (message)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L174	6	L170 & (message dialog interview reponse)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L175	1	L170 & (modif\$4 with template\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37

L176	2	"20030004993".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L177	1	L176 & (destination near2 "web page")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L178	2	"20060031746" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L179	394	web with page with builder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L180	19	L179 & (xml near3 templates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L181	0	go near2 dady	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L182	285	web near2 builder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L183	94	L182 & templates	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L184	52	L183 & xml & html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L185	29	L184 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L186	2	"20030004993" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L187	0	"generating web pages and communicating between web pages"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L188	0	"singh.XA"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L189	224	(rachna same singh)".xa" & herndon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L190	0	((web near2 page) near3 build \$3) same from same pages	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L191	1509	((web near2 page) near3 build \$3) same pages	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L192	0	L191 & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L193	3	((web near2 page) same build \$3) & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L194	139	web & (console near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L195	35	L194 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L196	5683	715/513	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L197	394	L196 & (web same editor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L198	37	L197 & ((xml with html) same templates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L199	14	L198 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L200	2	"7089560".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L201	2	"6507856".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L202		(US-20060031746-\$ or US-20040205528-\$ or US-20020158902-\$ or US-20030004993-\$).did. or (US-6697825-\$ or US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6732331-\$ or US-6507856-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L203	7	L202 & templates	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L204	2	L202 & (modif\$4 with templates)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L205	2	L204 & html & xml	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L206	7	(US-20030004993-\$ or US-20060031746-\$ or US-20040205528-\$ or US-20020158902-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6732331-\$ or US-6990629-\$ or US-6507856-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L207	1	L206 & wizard	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L208	5	L206 & pages	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L209	2	"6846880".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L210	2	"6816880".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L211	0	L210 & concsole	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L212	1	L210 & console	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L213	2	L206 & applet	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L214	6	L206 & interface	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37

						,
L215	1	L214 & (modif\$3 near2 template)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L216	2	L214 & (modif\$3 same template)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L217	2	L216 & (modif\$4 same template\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L218	2	L217 & (web same page\$1 same generat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L219	6	(US-20030004993-\$ or US-20060031746-\$ or US-20020158902-\$ or US-20040205528-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6990629-\$ or US-6507856-\$ or US-6697825-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L220	1	L219 & (engine console wizard) same ((API "Application program Interface"))	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L221	4	L219 & (engine console wizard)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L222	5	L219 & (message)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L223	6	L219 & (message dialog interview reponse)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L224	1	L219 & (modif\$4 with template\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L225	2	"20030004993".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L226	1	L225 & (destination near2 "web page")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L227	2	"20030004993".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L228	1	L227 & pretoken	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L229	1	L227 & token	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L230	13	(US-20060031746-\$ or US-20040205528-\$ or US-20030004993-\$ or US-20020158902-\$ or US-20080222517-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6990629-\$ or US-6697825-\$ or US-6507856-\$ or US-6507856-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L231	13	L230 & ((web near page) (XML near document) (html near document) (markup near document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L232	13	L230 & ((web near page) (XML near document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L233	13	L232 & (concatent\$3 link\$3 map\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L234	6	L233 & (xml with element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L235	3	L233 & (xml with element) & (web near pages)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L236	1	L235 & (modif\$4 with template\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L237	115	(parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L238	2	L230 & L237	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L239	0	L238 & (xml near3 templates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L240	1	"6081262".PN.	USPAT; USOCR	OR	ON	2010/01/14 22:37
L241	3033	underwood.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L242	5	underwood.in. & (element near web near site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L243	0	L242 & (parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L244	5	L242 & ((xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L245	5	L244 & (xml with element) & (web near pages)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L246	13	(US-20060031746-\$ or US-20040205528-\$ or US-20030004993-\$ or US-20020158902-\$ or US-20080222517-\$ or US-20080109472-\$).did. or (US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6507856-\$ or US-7366973-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L247	2	L246 & L237	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L248	4	L246 & token	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L249	0	L237 & (token same ((pre near token) pre-token))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L250	2	(xml near element) & (token same ((pre near token) pre- token))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L251	17	(parsing with (xml near element)) & ((souce (host server)) same (destination target client user)) & authoring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L252	1	(parsing with (xml near element)) & ((souce (host server)) same (destination target client user)) & (authoring near (wizared tool))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L253	3	L232 & (concatenat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L254	0	L235 & L237	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L255	104	L237 & ((web near (page site)) (XML near document) (html near document) (markup near document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L256	104	L255 & (parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L257	30	L256 & (xml with element) & (web near pages)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L258	14	(US-20060031746-\$ or US-20040205528-\$ or US-20030004993-\$ or US-20020158902-\$ or US-20080222517-\$ or US-20080109472-\$ or US-7287218-\$ or US-7117436-\$ or US-7039860-\$ or US-6507856-\$ or US-7366973-\$).did. or (US-6507856-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/01/14 22:37
L259	3	L258 & (parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L260	3	L259 & ((web near (page site)) (XML near document) (html near document) (markup near document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L261	3	L260 & (xml with element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L262	1	L261 & ((template model) near (tree hierarch\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L263	359	(xml near browser) & ((web near (page site)) (XML near document) (html near document) (markup near document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L264	147	L263 & (xml with element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L265	1	L264 & (parsing with (xml near element)) & ((souce (host server)) same (destination target client user)) & (authoring (wizared tool))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L266	2	L264 & L256	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L267	25	L264 & ((template model) near (tree hierarch\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L268	359	(xml near browser) & ((web near (page site)) (XML near document) (html near document) (markup near document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L269	1	L268 & ((dynamic\$3 with updat\$3) same (portion segment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L270	211	dynamic\$4 & (xml near browser) & ((web near (page site)) (XML near document) (html near document) (markup near document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L271	14	(dynamic\$4 near updat\$3) & (xml near browser) & ((web near (page site)) (XML near document) (html near document) (markup near document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L272	124	L268 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L273	0	L272 & (dynamic\$4 near updat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L274	75	L272 & (dynamic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L275	2	L272 & (dynamic\$3 same (portion segment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L276	813	(dynamic\$3 same updat\$3 same (portion segment)) & ((web near (page site)) (XML near document) (html near document) (markup near document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L277	327	L276 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L278	0	L277 & (xml near browser) & ((web near (page site)) (XML near document) (html near document) (markup near document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L279	0	L277 & (xml near browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L280	1	L255 & L277	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L281	1	L277 & (parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L282	115	(parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L283	1	L282 & ((dynamic\$3 same updat\$3) same (portion segment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L284	20	(XML near (template model)) & ((dynamic\$3 same updat \$3) same (portion segment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L285	13	L284 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L286	8	(XML near template) & ((dynamic\$3 same updat\$3) same (portion segment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L287	4	L286 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L288	30	template & (parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L289	4	L287 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L290	52	template & (parsing with (xml near element))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L291	5	L290 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L292	1	(dynamic near (page site)) & (parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L293	0	(concaten\$3 with (temporary with value)) & (parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L294	3	(temporary with value) & (parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L295	4	(cach\$3 with node) & (parsing with (xml near element)) & ((souce (host server)) same (destination target client user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L296	657	(dynamic\$3 same (portion segment)) & (DOM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L297	91	(dynamic\$3 same (portion segment)) & (DOM) & XML & (catcg\$3 buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L298	55	L297 & (@ad<"20010628" @rlad<"20010628")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L299	39	L297 & (@ad<"20010628" @rlad<"20010628") & (temp temporary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L300	37	L297 & (@ad<"20010628" @rlad<"20010628") & (temp temporary) & template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L301	0	(quoc near tran) same (hutton)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L302	0	(quoc) same (hutton)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L303	217	(Quoc same Tran).xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L304	9	L303 & (dynamic\$3 same (portion segment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37
L305	1	L235 & XML & (catcg\$3 buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

L306	682	(xml with (stylesheet template model)) & (dynamic \$3 same (portion segment))	.8	OR	ON	2010/01/14 22:37
L307	49	L306 & (@ad<"20010628" @rlad<"20010628") & (temp temporary) & template	; · - · - · ,	OR	ON	2010/01/14 22:37
L308	29	L307 & (xml with element) & (web near pages)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 22:37

1/14/2010 10:48:59 PM

C:\ Documents and Settings\ qtran3\ My Documents\ EAST\ Workspaces\ 09892633_Nov_2007.wsp